

US012076624B2

# (12) United States Patent Honea et al.

#### (54) IRON TYPE GOLF CLUB HEAD AND SET

(71) Applicant: Taylor Made Golf Company, Inc.,

Carlsbad, CA (US)

(72) Inventors: Justin Honea, Richardson, TX (US);

John Kendall, Wylie, TX (US); Matthew Brian Neeley, Dallas, TX

(US)

(73) Assignee: Taylor Made Golf Company, Inc.,

Carlsbad, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-

claimer.

(21) Appl. No.: 17/892,583

(22) Filed: Aug. 22, 2022

(65) Prior Publication Data

US 2022/0401800 A1 Dec. 22, 2022

# Related U.S. Application Data

- (60) Continuation of application No. 17/145,866, filed on Jan. 11, 2021, now Pat. No. 11,420,098, which is a continuation of application No. 16/524,240, filed on Jul. 29, 2019, now Pat. No. 10,888,749, which is a continuation of application No. 15/794,473, filed on Oct. 26, 2017, now Pat. No. 10,398,950, which is a division of application No. 13/842,545, filed on Mar. 15, 2013, now Pat. No. 9,802,089.
- (51) Int. Cl. *A63B 53/04* (2015.01) *A63B 60/54* (2015.01)

# (10) Patent No.: US 12,076,624 B2

(45) **Date of Patent:** 

\*Sep. 3, 2024

(52) U.S. Cl.

CPC ....... *A63B 53/047* (2013.01); *A63B 53/0475* (2013.01); *A63B 60/54* (2015.10); *A63B* 

*53/0433* (2020.08); *A63B* 2053/0491 (2013.01)

(58) Field of Classification Search

See application file for complete search history.

#### (56) References Cited

#### U.S. PATENT DOCUMENTS

550,976 A	12/1895	Jennings
632,885 A	9/1899	Sweny
819,900 A	5/1906	Martin
1,154,490 A	9/1915	Davis
1,541,126 A	6/1925	Dunn
1,705,997 A	3/1929	Quynn
	(Con	tinued)

#### FOREIGN PATENT DOCUMENTS

CA	2145832 C	11/1995
GB	455632 A	10/1936
	(Cont	inued)

### OTHER PUBLICATIONS

Jin, Machine Translation of KR-100858609-B1, uploaded Aug. 8, 23, Espacenet, 4 pages.\*


(Continued)

Primary Examiner — Eugene L Kim Assistant Examiner — Matthew B Stanczak (74) Attorney, Agent, or Firm — Dawsey Co., LPA; David J. Dawsey

## (57) ABSTRACT

An iron-type golf club head and set having a passageway extending from a closed void behind the face and accessible from an exterior of the body.

# 19 Claims, 12 Drawing Sheets



# US 12,076,624 B2 Page 2

U.S. PATENT DOCUMENTS    5346,219 A   9,1994   Peboski et al.   19194   Person   1918, 1818, 1818   19194   Person   1918, 1818, 1818   19195   Person   1918, 1818   1918, 181	(56)	Referen	ces Cited	5,344,150			Schmidt et al.
1,835,718 A   121931   Morton   5,388,826 A   2,1995   Sherwood   1,835,438   A   41932   Hint   5,409,229 A   41995   Schmidt et al.   2,402,531   A   101947   Feterolf   5,419,556 A   5,1995   Take   3,003,430   A   51962   Grace   D36,0008 S   7,1999   Solheim   3,004,436   A   2,1903   Turner   D36,0008 S   7,1999   Solheim   3,004,436   A   2,1903   Turner   3,004,436   A   2,1903   Turner   3,404,456   A   8,1995   Schmidt et al.   3,004,430   A   1,1905   Olivos   D36,204   B   1,1905   Schmidt et al.   3,165,330   A   1,1905   Olivos   D36,204   B   1,1905   Schmidt et al.   3,165,330   A   1,1905   Solheim   D36,2481   B   1,1905   Schmidt et al.   3,165,330   A   1,1905   Solheim   D36,2481   B   1,1905   Schmidt et al.   3,165,330   A   1,1905   Solheim   D36,2481   B   1,1905   Schmidt et al.   3,165,330   A   1,1905   Solheim   D36,2481   B   1,1905   Schmidt et al.   3,165,332   A   1,1905   Solheim   S,472,203   A   1,1905   Schmidt et al.   3,165,332   A   1,1907   Solheim   S,481,457   A   1,1905   Schmidt et al.   3,165,332   A   1,1907   Solheim   S,481,457   A   1,1905   Schmidt et al.   3,165,332   A   1,1907   Solheim   S,482,377   A   1,1905   Schmidt et al.   3,165,332   A   1,1907   Solheim   S,529,343   A   6,1906   Solheim   S,529,343   A   1,1907   Solheim   S,	U.S.	PATENT	DOCUMENTS	D351,644	S	10/1994	Jensen
1854; 48 A	1 925 719 4	12/1021	Mantan				
2429.351							
3,061,310   A   10,1962   Giza   D360,445   S   71,1995   Schmidt et al.   3,079,157   A   2,1963   Cissel   5,437,456   A   81,1995   Schmidt et al.   3,163,368   A   61,1964   Onions   D362,041   S   91,1995   Schmidt et al.   3,163,368   A   61,1964   Onions   D362,041   S   91,1995   Schmidt et al.   3,163,368   A   61,1965   Onions   D362,041   S   91,1995   Schmidt et al.   3,163,368   A   61,1965   Onions   D362,041   S   91,1995   Schmidt et al.   3,163,361   S   12,1968   Solheim   D362,481   A   1999   Schmidt et al.   3,163,361   S   12,1968   Solheim   S   480,213   A   1999   Schmidt et al.   3,163,313   A   51,1971   Solheim   S   480,145   A   1,1996   Schmidt et al.   3,679,207   A   7,1972   Florian   S   480,237   A   1,1996   Schmidt et al.   3,161,361   A   51,1971   Solheim   S   480,237   A   1,1996   Schmidt et al.   3,161,361   A   51,1971   Solheim   S   480,237   A   1,1996   Schmidt et al.   3,161,361   A   51,1971   Silvans et al.   S,529,543   A   61,1996   Schmidt et al.   3,161,361   A   51,1971   Silvans et al.   S,529,543   A   61,1996   Schmidt et al.   3,161,361   A   51,1971   Silvans et al.   S,529,543   A   61,1996   Schmidt et al.   3,161,361   A   51,1971   Silvans et al.   S,529,543   A   61,1996   Schmidt et al.   4,027,885   A   11,1975   Company   S,547,1973   A   1,1996   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,547,1973   A   1,1996   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,547,1973   A   1,1996   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   S,603,668   A   21,1997   Schmidt et al.   4,027,885   A   61,1977   Solheim   Solheim   S,603,668				, ,			
3,079,187   A   21963   Tumer   D360,925   S   81995   Schmidt et al.   3,183,386   A   61964   Onions   S,441,264   A   81995   Schmidt et al.   3,183,386   A   61964   Onions   S,441,264   A   81995   Schmidt et al.   3,163,320   A   17965   Onions   D362,481   S   91995   Takahashi et al.   D202,227   S   3,1967   Solheim   D362,481   A   17995   Takahashi et al.   D202,301   S   11,1967   Comtz   S,460,378   A   17995   Schmidt et al.   D212,890   S   12,1968   Rose   S,472,203   A   12,1995   Schmidt et al.   D212,890   S   7,1970   Solheim   S,480,415   A   17995   Schmidt et al.   D212,890   S   7,1971   Solheim   S,480,415   A   17995   Schmidt et al.   D3,878,332   A   5,1971   Caldwell   S,485,997   A   12,1995   Schmidt et al.   3,678,337   A   7,1972   Solheim   S,492,327   A   2,1996   Schmidt et al.   3,678,337   A   1,1975   Evans et al.   S,292,4331   A   6,1996   Baidror   3,390,2368   A   12,1975   Mills   S,533,728   A   7,1996   Schmidt et al.   3,905,365   A   12,1975   Mills   S,533,728   A   7,1996   Schmidt et al.   3,905,865   A   12,1975   Cochan et al.   S,889,23   A   12,1995   Schmidt et al.   4,043,562   A   12,1975   Schmidt et al.   4,043,562   A   12,1975   Shillington   S,588,923   A   12,1995   Schmidt et al.   4,043,562   A   13,1971   Little   D,377,318   S   1,1997   Schmidt et al.   4,025,262   A   2,1917   Solheim   Solheim   S,588,923   A   12,1995   Schmidt et al.   4,025,262   A   2,1917   Solheim   Solheim   S,588,923   A   12,1995   Schmidt et al.   4,025,262   A   2,1917   Solheim   Solheim   S,588,923   A   12,1995   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,588,923   A   12,1995   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,685,000   S   1997   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,685,000   S   1997   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,685,000   S   1997   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,794,795   S   1999   Schmidt et al.   4,025,262   A   2,1918   Solheim   S,794,795   S   1999   S							
3,084,940							
3,18,336 A 6 1964 Onions 5,441,264 A 81995 Schmidt et al. 2007,227 S 31967 Solheim D362,481 S 91995 Takabashi et al. 2007,227 S 31967 Solheim D362,481 S 91995 Takabashi et al. 2008,301 S 11,1967 Comitz 5460,377 A 11,1975 Schmidt et al. 2008,301 S 11,1967 Comitz 5460,377 A 11,1975 Schmidt et al. 2018,178 S 7,1970 Solheim 5480,147 A 11,1975 Schmidt et al. 2018,178 S 7,1970 Solheim 5480,145 A 11,1975 Schmidt et al. 2018,178 S 7,1970 Solheim 5480,145 A 11,1975 Schmidt et al. 3,1950,350 A 11,1975 Solheim 5480,145 A 11,1975 Schmidt et al. 3,1950,350 A 11,1975 Edwiewl 5480,377 A 2,1975 Solheim 5480,377 A 2,1975 Solh							
D207-227 S   3/1967   Solheim   D362,481 S   9/1995   Schmidt et al.							
D209.361   S   11/1967   Comitz   5.460,377   A   10/1995   Schmidt et al.							
D212,390   S   12/1968   Rose   5.464,218   A   11/1995   Schmidt et al.							
D218.178 S   7.1970   Solheim   5.472,033 A   12.1995   Schmidt et al.							
3.578.332 A							
3.679_207 A							
3.810.631   A   5.1974   Braly   5.524.331   A   6.1996   Beaumont   3.820.730   A   11975   Evans et al.   5.529.543   A   7.1996   Pelooski et al.   3.970.308   A   121975   Mills   5.533.728   A   7.1996   Pelooski et al.   3.970.308   A   7.1976   Rogers   D373.161   S   8.1996   Schmidt et al.   3.970.308   A   7.1976   Rogers   D373.161   S   8.1996   Schmidt et al.   3.989.248   A   111976   Compan   5.547.194   A   8.1996   Alzawa et al.   4.027.885   A   6.1977   Rogers   5.588.922   A   121996   Schmidt et al.   4.027.885   A   6.1977   Shillington   5.588.922   A   121996   Schmidt et al.   4.027.885   A   6.1977   Shillington   5.588.922   A   121996   Schmidt et al.   4.123.056   A   101978   Nakamatsu   D377.818   S   11997   Takahashi et al.   4.123.056   A   101978   Nakamatsu   D378.112   S   21997   Salonica   4.252.26   A   2.1918   Igarashi   5.605.510   A   21997   Schmidt et al.   4.252.081   A   31982   Imai   D379.393   S   51997   Kubica et al.   4.32.083   A   31982   Churchward   5.605.510   A   21997   Schmidt et al.   4.32.083   A   31982   Churchward   5.665.300   A   51997   Schmidt et al.   4.32.084   A   2.1928   Churchward   5.665.300   A   71997   Sugo   4.420.156   A   121983   Campan   5.463.106   A   71997   Sugo   4.420.156   A   121983   Campan   5.463.106   A   71997   Sugo   4.420.156   A   121983   Campan   5.463.000   A   11997   Schmidt et al.   4.630.825   A   2.1996   Schmidt et al.   5.865.600   A   91997   Takahashi et al.   5.306.334   S   21990   MacNally et al.   5.760.600   A   91997   Sherwood   4.630.85   3.1988   Simmons   D386.500   A   11997   Schmidt et al.   5.306.348   S   21990   MacNally et al.   5.760.600   A   11999   Schmidt et al.   5.306.379   A   61981   Antonious   D400.435   111998   Schmidt et al.   5.306.388   S   31991   Antonious   D400.435   111998   Schmidt et al.   5.306.387   A   1991   Antonious   D400.435   111999   Schmidt et al.   5.303.148   A   1992   Antonious   D428.635   A   2000   Sherwood   5.242.167   A   9193   Antonio							
3,862,759 A L/1975 Evans et al. 5,529,343 A 6/1996 Beaumont and Company of the Co						6/1996	Pond
3.970.236 A 7.1976 Rogers  3.950.236 A 17.1976 Campau  5.547.194 A 8.1996 Schmidt et al. 3.950.836 A 12.1976 Campau  5.547.194 A 8.1996 Kobayashi et al. 5.547.194 A 8.1996 Kobayashi et al. 5.547.194 A 8.1996 Kobayashi et al. 5.548.922 A 12.1996 Kobayashi S.548.923 A 12.1997 Kobayashi et al. 5.603.668 A 21.1997 Kobayashi S.605.510 A 21.1993 Kobayashi S.605.510 A 21.1997 Kobayashi S.605.510 A 21.1993 Kobayashi S.605.510 A 21.1994 Kobayashi S.605.510 A 21.1994 Kobayashi S.605.510 A 21.1995 Kobayashi S.605.510 A 21.1995 Kobayashi S.605.510 A 21.1995 Kobayashi S.605.510 A 21.1994 Kobayashi S.605.510 A 21.1995 Kobayashi S.605.510 A 21.199	3,862,759 A	1/1975	Evans et al.				
3.998_248							
3.995.865 A 12/1976 Cochran et al. 5,564,705 A 10/1996 Kobayashi et al. 4,0413.562 A 8/1977 Rogers 5,588,923 A 12/1996 Schmidt et al. 4,0413.562 A 8/1977 Rogers 5,588,923 A 12/1996 Schmidt et al. 12/1956 A 10/1978 Nakamatsu 5,683,668 A 2/1997 Saldonica 1,12056,264 S 1/1997 Klille D378,112 S 2/1997 Saldonica 1,252,262 A 2/1981 Igarashi 5,605,510 A 2/1997 Schmidt et al. 1,252,262 A 2/1981 Igarashi 5,605,510 A 2/1997 Schmidt et al. 1,252,263 A 3/1982 Imai D379,393 S 5/1997 Kubica et al. 1,252,263 A 3/1982 Imai D379,393 S 5/1997 Kubica et al. 1,252,263 A 3/1982 Churchward 5,626,530 A 5/1997 Kubica et al. 1,252,3759 A 6/1985 Campau D381,726 S 7/1997 Sugo A,420,156 A 12/1983 Campau D381,726 S 7/1997 Baird 4,532,3759 A 6/1985 Campau 5,643,106 A 7/1997 Baird 4,532,3759 A 6/1985 Campau 5,643,106 A 7/1997 Baird 4,630,825 A 12/1986 Schmidt et al. D383,8319 S 9/1997 Takahashi et al. 1,252,3759 A 6/1985 Schmidt et al. 1,252,3759 A 6/1985 Schmidt et al. 1,252,3759 A 6/1985 Schmidt et al. 1,252,3759 A 1,252,3759 A 6/1985 Schmidt et al. 1,252,3759 A 1,252,37							
1,043,562   A				5,564,705	A		
D246,329 S   11/1977   Little							
A							
D256,264 S							
D260,160   S   81981   Giebel   D379,393   S   51997   Schmidt et al.							
1937-1936   1938   1938   1938   1938   1939   19							
D264,488 S   51982   Kobayashi   S626,530 A   51997   Kagano   S1997   Kagano   Kagano   S1997   Kagano	,						
4,340,230 A   7,1982 Churchward   5,626,530 A   5,1997   Schmidt et al.   4,349,965 A   8,1983 Campau   5,643,106 A   7,1997   Sugo   4,420,156 A   12/1983 Campau   5,643,106 A   7,1997   Baird   4,523,759 A   6,1985   Igarashi   D383,819 S   9,1997   Takahashi et al.   4,630,825 A   12/1986 Cshmidt et al.   D383,820 S   9,1997   Watanabe   4,637,205 A   8,1987   Tominaga et al.   5,665,009 A   9,1997   Watanabe   4,636,850 S   3,1988   Simmons   D386,551 S   11/1997   Wight et al.   5,036,550 A   6,1989   Kobayashi   D386,551 S   11/1997   Wight et al.   5,036,334 S   2,1990   MacNally et al.   5,743,813 A   4/1998   Chen et al.   5,101,115 S   8,1990   Innuma   5,749,795 A   5/1998   Chen et al.   5,101,115 S   8,1990   Alcala   5,743,813 A   4/1998   Chen et al.   5,101,115 S   8,1990   Alcala   5,743,813 A   4/1998   Chen et al.   5,102,437 A   12/1990   Alcala   5,772,527 A   6/1998   Liu   5,024,437 A   6/191   Antonious   D400,943 S   11/1998   Cilibrate   5,024,437 A   6/191   Antonious   D406,296 S   3/1999   Rollinson et al.   5,056,879 A   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   5,056,879 A   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   5,056,879 A   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   5,056,879 A   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   5,056,879 A   9/1991   Antonious   D406,869 S   3/1999   Minematsu et al.   5,056,879 A   9/1991   Antonious   D410,514 S   6/1999   Takahashi et al.   5,056,879 A   9/1991   Antonious   D418,887 S   1/2000   Williams   5,056,879 A   9/1991   Antonious   D418,887 S   1/2000   Williams   5,056,878 A   0/1991   Antonious   D418,887 S   1/2000   Williams   5,056,878 A   0/1991   Antonious   D418,878 S   1/2000   Williams   5,056,879 A   9/1991   Antonious   D418,878 S   1/2000   Williams   5,056,879 A   9/1991   Antonious   D418,878 S   1/2000   Williams   5,056,878 A   0/1991   Antonious   D418,878 S   1/2000   Williams   5,056,878 A   0/1991   Antonious   D418,878 S   1/2000   Wi				D379,485	S	5/1997	Ragano
4,420,156 A   12/1985   Campai   12/1985   Campai   13/1985   Campai   13/1985   13/1987   14/1985   14/	4,340,230 A	7/1982	Churchward				
A.   A.   A.   A.   A.   A.   A.   A.							
4,630,825 A   12/1986   Schmidt et al.   D383,820 S   9/1997   Watanabe   4,687,205 A   8/1987   Tominaga et al.   5,665,009 A   9/1997   Sherwood   D294,850 S   3/1988   Simmons   D386,551 S   11/1997   Wright et al.   D306,195 S   2/1990   MacNally et al.   5,704,849 A   1/1998   Schmidt et al.   D306,334 S   2/1990   Alcala   5,743,813 A   4/1998   Schmidt et al.   D310,115 S   8/1990   Alcala   5,743,813 A   4/1998   Schmidt et al.   D310,699 S   9/1990   Parente et al.   5,766,6092 A   6/1998   Mimeur et al.   4,979,744 A   12/1990   Alcala   5,772,527 A   6/1998   Liu   4,979,744 A   12/1990   Alcala   5,040,945 S   11/1998   Ezaki   D311,588 S   3/1991   Antonious   D400,943 S   11/1998   Ezaki   D315,588 S   3/1991   Antonious   D406,296 S   3/1999   Alconious   D406,296 S   3/1999   Alconious   D406,296 S   3/1999   Alconious   D406,296 S   3/1999   Alconious   D319,858 S   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   5,094,383 A   3/1992   Alcala   D410,719 S   6/1999   Takahashi et al.   5,094,383 A   3/1992   Alcala   D410,719 S   6/1999   Takahashi et al.   D410,719 S   6/1999   Alcala   D410,719 S							
D294,850 S   3/1998 Simmons   D386,550 S   11/1997 Wright et al.							
A386,550							
D306,195 S   2/1990   MacNally et al.   5,704,849 A   1/1998   Schmidt et al.   D306,334 S   2/1990   Alcala   5,743,813 A   4/1998   Chen et al.   D310,699 S   9/1990   Parente et al.   5,766,092 A   6/1998   Mimeur et al.   4,979,744 A   12/1990   Alcala   5,772,527 A   6/1998   Liu   D314,803 S   2/1991   Antonious   D400,943 S   11/1998   Ezaki   D315,588 S   3/1991   Antonious   D400,943 S   11/1998   Ezaki   D315,588 S   3/1991   Antonious   D400,945 S   11/1998   Gilbert et al.   D319,858 S   9/1991   Antonious   D406,296 S   3/1999   Rollinson et al.   D319,858 S   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.   D320,056 S   9/1991   Antonious   D406,869 S   3/1999   Mimeut et al.   S,899,821 A   5/1999   Mimeut et al.   S,700,829,820 A   5/1999   Mimeut et al.   S,700,829,820 A   5/1999   Mimeut et al							
D306,334 S   2/1990   Alcala   5,743,813 A   4/1998   Chen et al.							
D310,699 S   9/1990   Parente et al.   5,766,092 A   6/1998   Mimeur et al.		2/1990	Alcala				
Agricultural Notation   Agri							
D314,803 S   2/1991   Antonious   D400,945 S   11/1998   Ezaki							
D319,091   S   1991   Anderson   D402,326   S   12/1998   Moore   D319,091   S   1991   Antonious   D406,269   S   3/1999   Rollinson et al.   D320,056   S   9/1991   Antonious   D406,869   S   3/1999   Rollinson et al.   D320,056   S   9/1991   Antonious   D406,869   S   3/1999   Rollinson et al.   S,899,820   A   5/1999   Hsu et al.   S,899,821   A   5/1999   Hsu et al.   S,895,821   A   5/1999   Hsu et al.   S,904,383   A   3/1992   Anderson et al.   D410,514   S   6/1999   Takahashi et al.   D410,719   S   6/1999   Takahashi et al.   D327,720   S   6/1992   Antonious   D413,951   S   9/1999   Storer et al.   D327,720   S   7/1992   Antonious   D418,887   S   1/2000   Williams   D328,322   S   7/1992   Antonious   D421,635   S   3/2000   Whitley   D328,322   S   7/1992   Antonious   G,042,486   A   3/2000   Gallagher   D328,482   S   8/1992   Antonious   G,045,456   A   4/2000   Best et al.   D331,278   S   1/1992   Antonious   G,077,171   A   G/2000   Yoneyama   D329,904   S   9/1992   Gorman   D428,634   S   7/2000   Nagai et al.   D331,272   S   1/1992   Antonious   G,086,485   A   7/2000   Nagai et al.   D331,272   S   1/1992   Antonious   G,093,112   A   7/2000   Peters et al.   D331,272   S   1/1992   Antonious   G,093,112   A   7/2000   Peters et al.   D331,272   S   1/1992   Antonious   G,093,112   A   7/2000   Peters et al.   S,160,136   A   11/1992   Eger   D429,299   S   8/2000   Kubica et al.   D334,495   S   4/1993   Antonious   G,179,726   B1   1/2001   Satoh et al.   D334,495   S   4/1993   Antonious   D442,659   S   5/2001   Kao   S,255,918   A   10/1993   Anderson et al.   D442,659   S   5/2001   Kao   S,255,918   A   10/1993   Anderson   D442,659   S   5/2001   Kubica et al.   S,261,663   A   11/1993   Anderson   D442,659   S   5/2001   Kabica et al.   S,261,663   A   11/1993   Anderson   D442,659   S   5/2001   Kabica et al.   S,261,663   A   11/1993   Anderson   D442,659   S   5/2001   Kabica et al.   S,261,663   A   11/1993   Anderson   D442,659   S   5/2001   Kabica et al.   S,261,663							
D319,091 S							
D319,858 S   9/1991   Antonious   D406,869 S   3/1999   Rollinson et al.							
5,050,879 A         9/1991 Sun et al.         5,899,821 A         5/1999 Hsu et al.           5,056,788 A         10/1991 Katayama         D410,514 S         6/1999 Gh/1999 Takahashi et al.           5,094,383 A         3/1992 Anderson et al.         D413,951 S         9/1999 Storer et al.           D327,520 S         6/1992 Antonious         D413,951 S         9/1999 Storer et al.           D327,720 S         7/1992 Antonious         D418,887 S         1/2000 Williams           D328,116 S         7/1992 Antonious         D421,635 S         3/2000 Whitley           D328,322 S         7/1992 Antonious         6,042,486 A         3/2000 Gallagher           D328,482 S         8/1992 Antonious         6,045,456 A         4/2000 Best et al.           D332,483 S         8/1992 Antonious         6,077,171 A         6/2000 Yoneyama           D329,904 S         9/1992 Gorman         D428,634 S         7/2000 Nagai et al.           D330,241 S         10/1992 Antonious         6,086,485 A         7/2000 Hamada et al.           D331,088 S         11/1992 Antonious         6,086,485 A         7/2000 Hamada et al.           D331,272 S         11/1992 Antonious         6,093,112 A         7/2000 Hamada et al.           D332,478 S         1/1993 Antonious         6,199,693 B I         1/2001 Satoh et a				D406,869	S	3/1999	
5,056,788 A         10/1991 Katayama         D410,514 S         6/1999 G/1998 Gallagher         Takahashi et al.           5,094,383 A         3/1992 Anderson et al.         D410,719 S         6/1999 G/1998 Storer et al.           D327,720 S         6/1992 Antonious         D413,951 S         9/1999 Storer et al.           D327,720 S         7/1992 Antonious         D418,887 S         1/2000 Williams           D328,116 S         7/1992 Antonious         D421,635 S         3/2000 Whitley           D328,322 S         7/1992 Antonious         6,042,486 A         3/2000 Gallagher           D328,483 S         8/1992 Antonious         6,045,456 A         4/2000 Best et al.           D328,483 S         8/1992 Antonious         6,077,171 A         6/2000 Yoneyama           D329,904 S         9/1992 Gorman         D428,634 S         7/2000 Nagai et al.           D331,088 S         11/1992 Antonious         6,086,485 A         7/2000 Nagai et al.           D331,088 S         11/1992 Antonious         6,093,112 A         7/2000 Peters et al.           5,160,136 A         11/1992 Eger         D429,299 S         8/2000 Kubica et al.           5,160,144 A         11/1992 Maniatis         D435,278 S         12/2000 Reed et al.           D332,478 S         1/1993 Antonious         6,179,726 B1		9/1991	Antonious	5,899,820	A		
S,094,383 A 3/1992   Anderson et al.   D410,719 S   6/1999   Rollinson et al.							
D327,520 S   6/1992   Antonious   D413,951 S   9/1999   Storer et al.							
D328,116 S   7/1992   Antonious   D421,635 S   3/2000   Gallagher	D327,520 S						
D328,322 S   7/1992   Antonious   6,042,486 A   3/2000   Gallagher							
D328,482 S   Record							
D328,483 S         8/1992 Antonious         6,077,171 A         6/2000 Yoneyama           D329,904 S         9/1992 Gorman         D428,634 S         7/2000 Nagai et al.           D330,241 S         10/1992 Antonious         6,086,485 A         7/2000 Nagai et al.           D331,088 S         11/1992 Antonious         6,086,485 A         7/2000 Peters et al.           D331,272 S         11/1992 Antonious         6,093,112 A         7/2000 Peters et al.           5,160,136 A         11/1992 Eger         D429,299 S         8/2000 Kubica et al.           5,160,144 A         11/1992 Maniatis         D435,278 S         12/2000 Reed et al.           D332,478 S         1/1993 Antonious         6,179,726 Bl         1/2001 Satoh et al.           D334,959 S         4/1993 Iinuma et al.         6,196,934 Bl         3/2001 Sherwood           5,242,167 A         9/1993 Antonious         D442,043 S         5/2001 Kao           5,255,918 A         10/1993 Anderson et al.         D442,659 S         5/2001 Kubica et al.           5,282,625 A         2/1994 Schmidt et al.         6,290,607 Bl         9/2001 Jones et al.           5,310,946 A         4/1994 Schmidt et al.         6,290,607 Bl         9/2001 Gilbert et al.           5,316,298 A         5/1994 Hutin et al.         6,290,609 Bl         9/200				6,045,456	A		
D330,241 S   10/1992   Antonious   D428,635 S   7/2000   Nagai et al.	D328,483 S	8/1992	Antonious				
D331,088 S         11/1992 Antonious         6,086,485 A         7/2000 Peters et al.           D331,272 S         11/1992 Antonious         6,093,112 A         7/2000 Peters et al.           5,160,136 A         11/1992 Eger         D429,299 S         8/2000 Kubica et al.           5,160,144 A         11/1992 Maniatis         D435,278 S         12/2000 Reed et al.           D332,478 S         1/1993 Antonious         6,179,726 Bl         1/2001 Satoh et al.           D334,959 S         4/1993 Iinuma et al.         6,196,934 Bl         3/2001 Sherwood           5,242,167 A         9/1993 Antonious         D442,043 S         5/2001 Kao           5,255,918 A         10/1993 Anderson et al.         D442,659 S         5/2001 Kubica et al.           5,282,625 A         2/1994 Schmidt et al.         D445,157 S         7/2001 Jones et al.           5,301,946 A         4/1994 Schmidt et al.         6,290,609 Bl         9/2001 Gilbert et al.           5,316,298 A         5/1994 Hutin et al.         6,290,609 Bl         9/2001 Takeda           5,330,187 A         7/1994 Schmidt et al.         6,344,000 Bl         2/2002 Hamada et al.							
D331,272 S       11/1992 Antonious       6,093,112 A       7/2000 Peters et al.         5,160,136 A       11/1992 Eger       D429,299 S       8/2000 Kubica et al.         5,160,144 A       11/1992 Maniatis       D435,278 S       12/2000 Reed et al.         D332,478 S       1/1993 Antonious       6,179,726 Bl       1/2001 Satoh et al.         D334,959 S       4/1993 Iinuma et al.       6,196,934 Bl       3/2001 Sherwood         5,242,167 A       9/1993 Antonious       D442,043 S       5/2001 Kao         5,255,918 A       10/1993 Anderson et al.       D442,659 S       5/2001 Kubica et al.         5,261,663 A       11/1993 Anderson       D444,195 S       6/2001 Wahl et al.         5,282,625 A       2/1994 Schmidt et al.       D445,157 S       7/2001 Jones et al.         5,301,946 A       4/1994 Schmidt et al.       6,290,607 Bl       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 Bl       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 Bl       2/2002 Hamada et al.							
5,160,144 A       11/1992 Maniatis       D435,278 S       12/2000 Reed et al.         D332,478 S       1/1993 Antonious       6,179,726 B1       1/2001 Satoh et al.         D334,959 S       4/1993 Iinuma et al.       6,196,934 B1       3/2001 Sherwood         5,242,167 A       9/1993 Antonious       D442,043 S       5/2001 Kao         5,255,918 A       10/1993 Anderson et al.       D442,659 S       5/2001 Kubica et al.         5,261,663 A       11/1993 Anderson       D444,195 S       6/2001 Wahl et al.         5,282,625 A       2/1994 Schmidt et al.       D445,157 S       7/2001 Jones et al.         5,301,946 A       4/1994 Schmidt et al.       6,290,607 B1       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 B1       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 B1       2/2002 Hamada et al.							
D332,478 S 1/1993 Antonious 6,179,726 B1 1/2001 Satoh et al.  D334,959 S 4/1993 Iinuma et al. 6,196,934 B1 3/2001 Sherwood 5,242,167 A 9/1993 Antonious D442,043 S 5/2001 Kao 5,255,918 A 10/1993 Anderson et al. D442,659 S 5/2001 Kubica et al. 5,261,663 A 11/1993 Anderson D444,195 S 6/2001 Wahl et al. 5,282,625 A 2/1994 Schmidt et al. D445,157 S 7/2001 Jones et al. 5,316,298 A 5/1994 Hutin et al. 6,290,609 B1 9/2001 Gilbert et al. 5,330,187 A 7/1994 Schmidt et al. 6,344,000 B1 2/2002 Hamada et al.	, ,						
D334,959 S   4/1993   Inuma et al.   6,196,934 B1   3/2001   Sherwood							
5,242,167 A       9/1993 Antonious       D442,043 S       5/2001 Kao         5,255,918 A       10/1993 Anderson et al.       D442,659 S       5/2001 Kubica et al.         5,261,663 A       11/1993 Anderson       D444,195 S       6/2001 Wahl et al.         5,282,625 A       2/1994 Schmidt et al.       D445,157 S       7/2001 Jones et al.         5,301,946 A       4/1994 Schmidt et al.       6,290,607 B1       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 B1       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 B1       2/2002 Hamada et al.				, ,			
5,261,663 A       11/1993 Anderson       D444,195 S       6/2001 Wahl et al.         5,282,625 A       2/1994 Schmidt et al.       D445,157 S       7/2001 Jones et al.         5,301,946 A       4/1994 Schmidt et al.       6,290,607 B1       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 B1       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 B1       2/2002 Hamada et al.				D442,043	S	5/2001	Kao
5,282,625 A       2/1994 Schmidt et al.       D445,157 S       7/2001 Jones et al.         5,301,946 A       4/1994 Schmidt et al.       6,290,607 Bl       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 Bl       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 Bl       2/2002 Hamada et al.							
5,301,946 A       4/1994 Schmidt et al.       6,290,607 Bl       9/2001 Gilbert et al.         5,316,298 A       5/1994 Hutin et al.       6,290,609 Bl       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 Bl       2/2002 Hamada et al.							
5,316,298 A       5/1994 Hutin et al.       6,290,609 B1       9/2001 Takeda         5,330,187 A       7/1994 Schmidt et al.       6,344,000 B1       2/2002 Hamada et al.				,			
5,330,187 A 7/1994 Schmidt et al. 6,344,000 B1 2/2002 Hamada et al.							
5,344,140 A 9/1994 Anderson 6,344,001 B1 2/2002 Hamada et al.	5,330,187 A	7/1994	Schmidt et al.				
	5,344,140 A	9/1994	Anderson	6,344,001	В1	2/2002	Hamada et al.


# US 12,076,624 B2 Page 3

(56)			Referen	ces Cited		D585,951 D588,667		2/2009	Kohno Oldknow	
		U.S.	PATENT	DOCUMENTS		D588,685	S	3/2009	Chong	
		~				D589,105 D589,108			Oldknow Oldknow	
	D454,932 6,368,232			Mahaffey et al. Hamada et al.		D589,108 D589,109			Oldknow	
	D467,292			Saraie et al.		D592,715		5/2009		
	D473,605			Petersen et al.		D595,797 D596,256			Oldknow Schweigert et al.	
	6,547,675 6,592,468			Sherwood Benoit et al.		D596,257		7/2009	Jertson et al.	
	6,592,469			Gilbert		D596,258	S	7/2009	Jertson et al.	
	6,616,546	B2	9/2003			D596,684 D596,688			Sutovsky et al. Schweigert et al.	
	6,616,547 6,638,183		9/2003	Vincent et al.		D597,157			Wallin et al.	
	6,688,989		2/2004			7,559,850	B2		Gilbert et al.	
	6,733,400			Sherwood		D597,616 D597,617			Nes et al. Ines et al.	
	D492,376 6,743,114		6/2004	Nicolette et al. Best		D597,618			Ines et al.	
	6,746,344		6/2004			D598,060			Barez et al.	
	6,811,496	B2 *	11/2004	Wahl		D599,423 7,582,024		9/2009	Serrano et al.	
	6 830 510	B2 *	12/2004	Reed	473/345 463B 53/047	D601,651		10/2009	Jorgensen et al.	
	0,030,317	DZ	12/2004	Recu	473/290	D602,103		10/2009	Jorgensen et al.	
	D500,825			Madore		D604,783 D607,073			Nicolette et al. Jertson et al.	
	D501,035 D501,234		1/2005 1/2005	Wahl et al.		7,686,704	B2		Gilbert et al.	
	6,849,005		2/2005			7,744,486	B2		Hou et al.	
	6,855,066	B2	2/2005			D619,183 7,749,102	8 B2		Llewellyn et al. Nakamura	
	6,855,069 D503,204	B2 S		Nagai et al. Nicolette et al.		D621,893		8/2010	Nicolette et al.	
	6,863,621			Sherwood		D621,894 7,857,711		8/2010 12/2010	Schweigert	
	D505,466			Lang et al.		7,837,711	B2 *		Moon	A63B 60/02
	6,921,343 D508,722			Solheim Iwata et al.						473/345
	D510,115		9/2005	Lang et al.		D633,159			Holt et al. Nicolette	
	6,942,580		9/2005 11/2005	Hou et al.		D635,627 7,976,403			Gilbert et al.	
	D511,553 D512,757	S		Cleveland et al.		D643,491	S	8/2011	Stokke et al.	
	6,979,270	B1	12/2005	Allen		D647,582 8,033,927			Nicolette et al. Gilbert et al.	
	6,984,180 D517,146			Hasebe Nishitani		8,033,931		10/2011	Wahl et al.	
	7,018,305	B2		Sugimoto		8,088,023	B2 *	1/2012	Kubota	
	D518,539			Cleveland et al.		8,088,025	B2	1/2012	Wahl et al.	473/335
	D523,501 7,070,513			Nicolette et al. Takeda et al.		D654,547	S	2/2012	Jertson et al.	
	D526,036	$\mathbf{S}$		Nishitani		8,157,668			Wahl et al. Oldknow et al.	
	7,083,530 7,086,961			Wahl et al. Wright et al.		D658,733 D659,214	S		Oldknow et al.	
	D529,114			Madore		D661,755	S		Oldknow et al.	
	D529,970		10/2006			8,197,354 8,246,487			Gilbert et al. Cackett	
	7,115,048 D532,850			Kusumoto et al. Oldknow		8,277,337			Shimazaki	
	7,134,971	B2	11/2006	Franklin et al.		8,298,095			Gilbert et al.	
	D537,138		2/2007	Clausen et al.		8,302,658 8,403,771	B2 B1		Gilbert et al. Rice et al.	
	D537,494 7,186,187			Jertson et al. Gilbert et al.		8,911,301		12/2014		
	7,186,188	B2	3/2007	Gilbert et al.		8,911,302			Ivanova et al. Kuhar et al.	
	7,192,361 7,192,362			Gilbert et al. Gilbert et al.		8,915,797 8,956,242			Rice et al.	
	D539,864			Nicolette et al.		9,044,653	B2		Wahl et al.	
	D540,898			Solheim et al.		9,623,298 9,802,089		4/2017	Ban Honea	A63B 53/047
	D544,056 7,232,377			Nicolette et al. Gilbert et al.		10,398,950			Honea	
	D549,797	S		Oldknow		10,888,749			Honea	
	D550,317 D554,215			Oldknow Ruggiero et al.		11,420,098 2001/0055996			Honea Iwata et al.	A03B 00/02
	D554,215 D554,217			Ruggiero et al.		2002/0068645	A1	6/2002	Vincent et al.	
	D554,218	$\mathbf{S}$		Ruggiero et al.		2002/0082119 2002/0094883			Hamada et al. Chuang	
	D560,263 D565,685			Rubino Homma		2002/0094883		7/2002	Gilbert	
	D571,887	S	6/2008	Stites et al.		2003/0176232		9/2003	Hasebe	
	D573,677			Kadoya		2003/0228928	A1*	12/2003	Yabu	473/291 A63B 53/047
	D573,680 7,393,287		7/2008	Stites et al. Huang		2003, 0220, 20		12,2003	2200	473/332
	7,396,290	B2	7/2008	Gilbert et al.		2004/0023729			Nagai et al.	
	D577,087 D577,088			Roach et al. Clausen et al.		2004/0058745 2004/0058747			Clausen Clausen	
	D577,088 D581,000			Nicolette et al.		2004/0038747			Radcliffe et al.	
	D584,371	S	1/2009	Chick et al.		2004/0180730	A1	9/2004	Franklin et al.	

# US 12,076,624 B2 Page 4

(56)		Referen	ces Cited	2014/033	5973 A1*	11/2014	Takechi A63B 53/047
	112 1	PATENT	DOCUMENTS	2015/0133	3232 A1	5/2015	473/349 Taylor et al.
	0.5. 1	ALLIVI	DOCCIVILIVIS		1806 A1*		Parsons A63B 53/0475
2004/0214657	A 1	10/2004	Hou	2013/023	1000 111	0/2015	264/261
2005/0009626			Imamoto	2015/034	3281 A1*	12/2015	Ban A63B 60/52
2005/00037860			Gilbert	2013/03 1	3201 711	12/2015	473/332
2005/0037863			Gilbert	2016/003	8796 A1	2/2016	
2005/0057005			Gilbert		6804 A1*		Parsons A63B 53/0466
2005/0090329			Gilbert		6076 A1*	2/2017	
2005/0096151			Hou et al.		2027 A1*		Parsons A63B 53/0466
2005/0143188			Tseng	2017/0320			Pergande et al.
2005/0143190		6/2005	Takeda		6148 A1*		Honea A63B 60/02
2005/0197208			Imamoto		1296 A1*		Honea A63B 60/54
2005/0227781			Huang et al.		8992 A1*		Honea A63B 53/0475
2005/0239569		10/2005					
2005/0277484	A1	12/2005	Reed		FOREIG	NI DATE	NT DOCUMENTS
2006/0025237	$\mathbf{A}1$	2/2006	Aguinaldo		TOKEIO	IN LALL.	NI DOCOMENIS
2007/0026961	A1	2/2007		GB	2126	5486 A	3/1984
2007/0042836		2/2007		GB GB		1468 A	5/2003
2007/0099721	$\mathbf{A}1$	5/2007	Chen	GB GB		1408 A 1468 B	7/2004
2007/0281796	A1	12/2007	Gilbert	JP		1408 B 5480 U	3/1997
2008/0085781	A1	4/2008	Iwahori	JP JP	11104		4/1999
2009/0023513	<b>A</b> 1	1/2009	Shibata et al.	JP JP		1203 1961 A	7/1999
2009/0191979	A1*	7/2009	Hou A63B 53/047	JP	2001-204		7/2001
			473/332	JP	2001-20-		9/2002
2009/0221382	A1	9/2009	Soracco	JP		2022 B2	3/2003
2009/0298615	A1	12/2009	Moon	JP	2004275		10/2004
2011/0021285	A1*	1/2011	Shimazaki A63B 60/02	JP	2005118		5/2005
			473/332	KR		3609 B1	
2011/0028240	A1	2/2011	Wahl	TW		2741 U	12/2002
2011/0070970	A1	3/2011	Wan	WO		8819 A2	6/2002
2012/0034997	A1	2/2012	Swartz	wo		8819 A3	6/2002
2012/0196702	A1*	8/2012	Shimazaki A63B 53/047	""	2002013	7017 713	0/2002
			473/345				
2012/0196703	A1*	8/2012	Sander A63B 60/52		OT)	HER PU	BLICATIONS
			473/349				
2012/0244960	A1	9/2012	Tang et al.	Ralph Malt	by, Golf Clı	ıb Design,	Fitting, alteration, & Repair, 1995,
2013/0331201		12/2013	Wahl et al.	Ralph Malt	tby Enterpri	ses, 4th E	Edition, p. 220.
2014/0274442			Honea A63B 53/047	1		,	· •
2011/02/1442		J/ 2017	473/291	* cited by	examiner		
			175/251	inca oj			

<sup>\*</sup> cited by examiner






Fig. 2




Fig. 3







Fig. 4















Fig. 8(c)














352 (MAX.) 328 352 300 (MIN.) 326 362--100 (MAX.) 362 -(MIN.) 210 200 -240 Fig. 12 232 230

## IRON TYPE GOLF CLUB HEAD AND SET

# CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. nonprovisional application Ser. No. 17/145,866, filed on Jan. 11, 2021, which is a continuation of U.S. nonprovisional application Ser. No. 16,524,240, filed on Jul. 29, 2019, now U.S. Pat. No. 10,888,749, which is a continuation of U.S. nonprovisional application Ser. No. 15/794,473, filed on Oct. 26, 2017, now U.S. Pat. No. 10,398,950, which is a divisional application of U.S. nonprovisional application Ser. No. 13/842,545, now U.S. Pat. No. 9,802,089, filed on Mar. 15, 2013, all of which is incorporated by reference as if completely written herein.

### STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

This invention was not made as part of a federally sponsored research or development project.

## TECHNICAL FIELD

The present invention relates to the field of golf clubs, namely iron-type golf club heads, clubs, and an associated set

### BACKGROUND OF THE INVENTION

A golf set includes various types of clubs for use in different conditions or circumstances in which a ball is hit during a golf game. A set of clubs typically includes a 35 "driver" for hitting the ball the longest distance on a course. A fairway "wood" can be used for hitting the ball shorter distances than the driver. A set of irons are used for hitting the ball within a range of distances typically shorter than the driver or woods. Every club has an ideal striking location or "sweet spot" that represents the best hitting zone on the face for maximizing the probability of the golfer achieving the best and most predictable shot using the particular club.

An iron has a flat face that normally contacts the ball whenever the ball is being hit with the iron. Irons have 45 angled faces for achieving lofts ranging from about 18 degrees to about 64 degrees. The size of an iron's sweet spot is generally related to the size (i.e., surface area) of the iron's striking face, and iron sets are available with oversize club heads to provide a large sweet spot that is desirable to many golfers. Most golfers strive to make contact with the ball inside the sweet spot to achieve a desired ball speed, distance, and trajectory.

Conventional "blade" type irons have been largely displaced (especially for novice golfers) by so-called "perimeter weighted" irons, which include "cavity-back" and "hollow" iron designs. Cavity-back irons have a cavity directly behind the striking plate, which permits club head mass to be distributed about the perimeter of the striking plate, and such clubs tend to be more forgiving to off-center hits. 60 Hollow irons have features similar to cavity-back irons, but the cavity is enclosed by a rear wall to form a hollow region behind the striking plate. Perimeter weighted, cavity back, and hollow iron designs permit club designers to redistribute club head mass to achieve intended playing characteristics associated with, for example, placement of club head center of mass or a moment of inertia. These designs also permit

2

club designers to provide striking plates that have relatively large face areas that are unsupported by the main body of the golf club head.

### SUMMARY OF INVENTION

In its most general configuration, the present invention advances the state of the art with a variety of new capabilities and overcomes many of the shortcomings of prior methods in new and novel ways. In its most general sense, the present invention overcomes the shortcomings and limitations of the prior art in any of a number of generally effective configurations. This disclosure includes an irontype golf club head having a sole channel extending from an exterior of a sole portion toward a face. The sole channel has an axis that intersects the face at an axis-to-face intersection point for at least one position along a channel length, and preferably at least 25% of the channel length. The elevation 20 of the intersection point may below the Ycg distance and the axis defines an angle from the vertical that may be related to the loft. Further, the iron-type golf club head may be incorporated in a set containing club heads with varying degrees of unsupported face area.

### BRIEF DESCRIPTION OF THE DRAWINGS

Without limiting the scope of the present invention as claimed below and referring now to the drawings and figures:

FIG. 1 shows a front elevation view of eight iron-type golf club heads of the present invention, not to scale;

FIG. 2 shows a front elevation view of eight iron-type golf club heads of an embodiment of the present invention with the face removed, not to scale;

FIG. 3 shows a front elevation view of eight iron-type golf club heads of an embodiment of the present invention with the face removed and the unsupported portion of the face shaded, not to scale;

FIG. 4 shows a bottom plan view of eight iron-type golf club heads of the present invention, not to scale;

FIG. 5 shows a cross-sectional view taken along section lines (5)-(5) in FIG. 1 of eight iron-type golf club heads of the present invention, not to scale;

FIG. 6 shows a cross-sectional view taken along section lines (6)-(6) in FIG. 1 of eight iron-type golf club heads of the present invention, not to scale;

FIG. 7 shows a cross-sectional view taken along section lines (7)-(7) in FIG. 1 of eight iron-type golf club heads of the present invention, not to scale;

FIG. 8(a) shows a front elevation view of an iron-type golf club head of the present invention, not to scale;

FIG. 8(b) shows a front elevation view of an iron-type golf club head of an embodiment of the present invention with the face removed, not to scale;

FIG. 8(c) shows a bottom plan view of an iron-type golf club head of an embodiment of the present invention with the face removed, not to scale;

FIG. 8(d) shows an enlarged cross-sectional view taken along section line 8(d)-8(d) of FIG. 8(a) of an iron-type golf club head of an embodiment of the present invention, not to scale:

FIG. 9(a) shows a front elevation view of an iron-type golf club head of the present invention, not to scale;

FIG. 9(b) shows a front elevation view of an iron-type golf club head of an embodiment of the present invention with the face removed, not to scale;

FIG. 9(c) shows a bottom plan view of an iron-type golf club head of an embodiment of the present invention with the face removed, not to scale:

FIG. 9(d) shows an enlarged cross-sectional view taken along section line 9(d)-9(d) of FIG. 9(a) of an iron-type golf 5 club head of an embodiment of the present invention, not to scale:

FIG. 10 shows an assembly view of an embodiment of an iron-type golf club head of the present invention with the face removed, not to scale;

FIG. 11 shows an assembly view of an embodiment of an iron-type golf club head of the present invention with the face removed, not to scale;

FIG. 12 shows an assembly view of an embodiment of an iron-type golf club head of the present invention with the 15 face removed, not to scale;

These drawings are provided to assist in the understanding of the exemplary embodiments of the present golf club as described in more detail below and should not be construed as unduly limiting the golf club. In particular, the 20 relative spacing, positioning, sizing and dimensions of the various elements illustrated in the drawings are not drawn to scale and may have been exaggerated, reduced or otherwise modified for the purpose of improved clarity. Those of ordinary skill in the art will also appreciate that a range of 25 alternative configurations have been omitted simply to improve the clarity and reduce the number of drawings.

# DETAILED DESCRIPTION OF THE INVENTION

The iron-type golf club head (100) and set of golf club heads of the present invention enables a significant advance in the state of the art. The preferred embodiments of the golf club head(s) accomplish this by new and novel methods that 35 are configured in unique and novel ways and which demonstrate previously unavailable, but preferred and desirable capabilities. The description set forth below in connection with the drawings is intended merely as a description of the presently preferred embodiments of the golf club head(s), 40 and is not intended to represent the only form in which the present golf club head(s) may be constructed or utilized. The description sets forth the designs, functions, means, and methods of implementing the golf club head(s) in connection with the illustrated embodiments. It is to be understood, 45 however, that the same or equivalent functions and features may be accomplished by different embodiments that are also intended to be encompassed within the spirit and scope of the claimed golf club head(s) and associated set.

In order to fully appreciate the present disclosed golf club 50 head some common terms must be defined for use herein. First, one of skill in the art will know the meaning of "center of gravity," referred to herein as CG, from an entry level course on the mechanics of solids. The CG is often thought of as the intersection of all the balance points of the golf club 55 head. In other words, if you balance the head on the face and then on the sole, the intersection of the two imaginary lines passing straight through the balance points would define the point referred to as the CG.

It is helpful to establish a coordinate system to identify 60 and discuss the location of the CG. In order to establish this coordinate system one must first identify a ground plane (GP) and a shaft axis (SA), as seen in FIG. 1. The ground plane (GP) is the horizontal plane upon which a golf club head rests, as seen best in a front elevation view of a golf 65 club head looking at the face of the golf club head, as seen in FIG. 1. The shaft axis (SA) is the axis of a bore in the golf

4

club head that is designed to receive a shaft. The shaft axis (SA) is fixed by the design of the golf club head.

Now, the intersection of the shaft axis (SA) with the ground plane (GP) fixes an origin point, labeled "origin" in FIG. 1, for the coordinate system. While it is common knowledge in the industry, it is worth noting that the right side of the club head seen in FIG. 1, the side nearest the bore in which the shaft attaches, is the "heel" side of the golf club head; and the opposite side, the left side in FIG. 1, is referred to as the "toe" side of the golf club head. Additionally, the portion of the golf club head that actually strikes a golf ball is referred to as the face of the golf club head and is commonly referred to as the front of the golf club head; whereas the opposite end of the golf club head is referred to as the rear of the golf club head and/or the trailing edge.

A three dimensional coordinate system may now be established from the origin with the Y-direction being the vertical direction from the origin; the X-direction being the horizontal direction perpendicular to the Y-direction and wherein the X-direction is parallel to the face of the golf club head in the natural resting position, also known as the design position; and the Z-direction is perpendicular to the X-direction wherein the Z-direction is the direction toward the rear of the golf club head. The X, Y, and Z directions are noted on a coordinate system symbol in FIGS. 8(a) and 8(d). It should be noted that this coordinate system is contrary to the traditional right-hand rule coordinate system; however it is preferred so that the center of gravity may be referred to as having all positive coordinates.

Now, with the origin and coordinate system defined, the terms that define the location of the CG may be explained. The distance behind the origin that the CG is located is referred to as Zcg, as seen in FIG. **8**(*a*). Similarly, the distance above the origin that the CG is located is referred to as Ycg, as seen in FIG. **8**(*a*). Lastly, the horizontal distance from the origin that the CG is located is referred to as Xcg, also seen in FIG. **8**(*a*). Therefore, the location of the CG may be easily identified by reference to Xcg, Ycg, and Zcg distances.

The moment of inertia of the golf club head is a key ingredient in the playability of the club. Again, one skilled in the art will understand what is meant by moment of inertia with respect to golf club heads; however it is helpful to define two moment of inertia components that will be commonly referred to herein. First, MOIx, often referred to as the lofting/delofting moment of inertia, is the moment of inertia of the golf club head around an axis through the CG. parallel to the X-axis. MOIx is the moment of inertia of the golf club head that resists lofting and delofting moments induced by ball strikes high or low on the face. Secondly, MOIy, often referred to as the opening/closing moment of inertial, is the moment of the inertia of the golf club head around an axis through the CG, parallel to the Y-axis. MOIy is the moment of inertia of the golf club head that resists opening and closing moments induced by ball strikes towards the toe side or heel side of the face. The "front-toback" dimension, referred to as the FB dimension, is the distance from the furthest forward point at the leading edge of the golf club head to the furthest rearward point at the rear of the golf club head along the sole portion, i.e. the trailing edge.

The iron-type golf club head (100) includes a heel portion (102), a toe portion (104), a top line portion (106), a sole portion (108), a leading edge (110), a trailing edge (112), a face (200) oriented at a loft, labeled in FIG. 8(d), and a hosel (400) having a bore (410) that defines a shaft axis (SA) intersecting a horizontal ground plane (GP) to define an

origin point. The iron-type golf club head (100) includes a sole channel (380), best seen in FIGS. 8(d) and 9(d), extending from the exterior of the sole portion (108) toward the face (200), wherein the sole channel (380) has a channel leading edge (382), a channel trailing edge (384), a channel width (386), a channel length (388), a channel depth (390), a channel leading edge setback (392), and a channel axis (394) establishing a channel angle (396) from the vertical.

The channel axis (394) intersects the face (200) at an axis-to-face intersection point (395) for at least one position along the channel length (388), illustrated best in FIGS. 8(*d*) and 9(*d*). In one particular embodiment at least one position along the channel length (388) has the axis-to-face intersection point (395) at an elevation above the horizontal ground plane (GP) that is less than the distance Ycg. An even further embodiment has at least one position along the channel length (388) having the axis-to-face intersection point at an elevation above the horizontal ground plane that is less than 60% of the distance Ycg. Having a channel axis (394) that intersects the face (200) in at least one position along the channel length (388) means that the channel axis (394) at this position is not parallel, nor nearly parallel, to the face (200), unlike much prior art.

In fact in some embodiments at least a portion of the 25 channel length (388) has a sole channel (380) characterized by a channel axis (394) that is angled toward the face (200). For example, in one embodiment a portion of the sole channel (380) has a channel angle (396) that is at least 20% of the loft, and the channel angle (396) is inherently capped at no more than a value of 180 degrees minus the loft, as otherwise the channel axis (394) would not pass through a plane containing the face (200). An even further embodiment has a channel length (388) that is greater than the Xcg distance, and a channel angle (396) that is at least 20% of the loft throughout at least 25% of the channel length (388). In other words, a significant portion of the sole channel (380) is angled toward the face (200).

Another embodiment has a portion of the sole channel 40 (380) with a channel angle (396) that is at least 50% of the loft. A further embodiment takes this a step further and also has a channel length (388) that is greater than the Xcg distance, and a channel angle (396) that is at least 50% of the loft throughout at least 50% of the channel length (388).

Even further embodiments obtain desired performance when the channel length (388) is greater than the Xcg distance, and the channel angle (396) is at least 50% of the loft, and less than 150% of the loft, throughout at least 25% of the channel length (388). Another embodiment incorporates a narrower operating window in which the channel length (388) is greater than the Xcg distance, and the channel angle (396) is at least 75% of the loft, and less than 125% of the loft, throughout at least 25% of the channel length (388).

Even further embodiments incorporates a sole channel (380) that extends through the body sole portion (108) and creates a passageway (398) from the exterior of the body sole portion (108) to a termination opening (399) that is open to a void behind the face (200), seen best in FIGS. 8(d) and 60 9(d), which is bound in part by a face rear surface and a rear wall of the club head, thereby defining a void depth, which as illustrated may be less than the face thickness, and in some embodiments the void extends to an elevation above the elevation of face center, and in further embodiments 65 extends to the top line portion (106), seen best in FIGS. 8(d). In one particular embodiment of this variation the sole

6

channel (380) extends through the sole portion (108) creating the passageway (398) throughout at least 50% of the channel length (388).

The aforementioned relationships resulting in a particular axis-to-face intersection point (395), elevation of the axisto-face intersection point (395), channel angle (396), channel length (388), and/or formation of a through passageway (398) in communication with a void behind the face, thereby achieve improved performance of the iron-type golf club head (100), which generally means a higher Characteristic Time (CT), and improved durability. While the disclosure above covers cast club heads, forged club heads, and variations of multi-material and multi-component cast and forged club heads, the design is particularly beneficial in constructing an iron-type golf club head (100) having a forged body (300) of a relatively soft material such as AISI 1025 carbon steel where testing has shown the channel angle (396) and channel setback (392) significantly influence the durability. This is particularly true when the face (200) is a separate piece of high strength alloy material that is different from the forged body (300). Thus, in one particular embodiment the body (300) is forged from a carbon steel alloy, and the face (200) is forged of a high strength alloy having a yield strength of at least 1400 MPa. The combination of a soft forged body (300) with a hard high strength (200) face provides the feel that a better player enjoys in light of the sole channel (380) and its position and orientation. In a further embodiment the face (200) has a thickness that is 2 mm or less and the channel width (386) is greater than the face thickness.

The iron-type golf club head (100) may also be incorporated into a set of iron-type golf club heads, as illustrated generally as a 3-iron through a pitching wedge as drawings (a) through (h) in FIGS. 1-7. For convenience the following disclosure will refer to a first iron-type golf club head, a second iron-type golf club head, and a third iron-type golf club head, which will be distinguished from one another by loft. Specific element numbers will only be used below with reference to the first iron-type golf club head unless specifically needed to explain a point, however one with skill in the art will recognize their associated application to the second iron-type golf club head and the third iron-type golf club head.

The set includes at least a first iron-type golf club head having a first loft of 30 degrees or less, and a second iron-type golf club head having a second loft of at least 31 degrees. The first iron-type golf club head (100) has a first heel portion (102), a first toe portion (104), a first top line portion (106), a first sole portion (108), a first leading edge (110), and a first trailing edge (112). Additionally, in this embodiment the first iron-type golf club head (100) includes a first body (300) and a first face (200). The first body (300) is formed of a first body material and having a first hosel 55 (400), a first face opening (310), and a first face support ledge (320), seen in FIG. 2(a). The first face support ledge (320) has a first support ledge width (322) separating a first support ledge inner perimeter (326) from a first support ledge outer perimeter (328), and may have a first support ledge setback (324), although the ledge is not necessarily recessed within the body. The first hosel (400) has a first bore (410) and a first bore center that defines a first shaft axis (SA) which intersects with a horizontal ground plane (GP) to define a first origin point. The first face (200) is formed of a first face material that is different from the first body (300) material and configured to be rigidly supported by the first body face opening (310). The face (200) has a first face

perimeter (210), a first face thickness (220), a first face striking surface (250), and a first face rear surface (260).

A portion of the first face rear surface (260) contacts the first face support ledge (320) thereby defining a first supported face portion (240), illustrated best in FIGS. 11-12, having a first supported face area. Additionally, a portion of the first face rear surface (260) does not contact the first face support ledge (320) thereby defining a first unsupported face portion (230) having a first unsupported face area, wherein the sum of the first supported face area and the first unsupported face area is a first total face area.

The first iron-type golf club head (100) has a first center of gravity (CG) located (a) vertically toward the first top line portion (106) of the first iron-type golf club head (100) from the first origin point a first distance Ycg; (b) horizontally from the first origin point toward the first toe portion (104) of the first iron-type golf club head (100) a first distance Xcg; and (c) a first distance Zcg from the first origin toward the first trailing edge (112) in a direction generally orthogonal to the vertical direction used to measure the first Ycg distance and generally orthogonal to the horizontal direction used to measure the first Xcg distance, as illustrated in FIGS. 8(a) and 8(d). The first iron-type golf club head (100) has a first opening/closing moment of inertia about a first vertical axis through the first center of gravity (CG).

As previously mentioned, the second iron-type golf club head has a second loft of at least 31 degrees. The second  $_{30}$ iron-type golf club head has a second heel portion, a second toe portion, a second top line portion, a second sole portion, a second leading edge, and a second trailing edge. Additionally, in this embodiment the second iron-type golf club head includes a second body and a second face. The second 35 body is formed of a second body material and has a second hosel, a second face opening, and a second face support ledge. The second face support ledge has a second support ledge width separating a second support ledge inner perimeter from a second support ledge outer perimeter, and may have a second support ledge setback. The second hosel has a second bore and a second bore center that defines a second shaft axis which intersects with a horizontal ground plane to define a second origin point. The second face is formed of 45 a second face material that is different from the second body material and configured to be rigidly supported by the second body face opening. The face has a second face perimeter, a second face thickness, a second face striking 50 surface, and a second face rear surface.

A portion of the second face rear surface contacts the second face support ledge thereby defining a second supported face portion, having a second supported face area. Additionally, a portion of the second face rear surface does 55 not contact the second face support ledge thereby defining a second unsupported face portion having a second unsupported face area, wherein the sum of the second supported face area and the second unsupported face area is a second total face area.

The second iron-type golf club head has a second center of gravity located (a) vertically toward the second top line portion of the second iron-type golf club head from the second origin point a second distance Ycg; (b) horizontally from the second origin point toward the second toe portion of the second iron-type golf club head a second distance

8

Xcg; and (c) a second distance Zcg from the second origin toward the second trailing edge in a direction generally orthogonal to the vertical direction used to measure the second Ycg distance and generally orthogonal to the horizontal direction used to measure the second Xcg distance. The second iron-type golf club head has a second opening/closing moment of inertia about a second vertical axis through the second center of gravity.

In this "set" embodiment the first unsupported face area is at least 70% of the first total face area, and the second unsupported face area is between approximate 20% and approximately 50% of the second total face area. For example, the iron-type golf club head (100) of FIG. 11 may be the first iron-type golf club head of the set having a first unsupported face area is at least 70% of the first total face area; while the iron-type golf club head (100) of FIG. 12 may be the second iron-type golf club head of the set having a second unsupported face area is between approximate 20% and approximately 50% of the second total face area. The shaded area in the iron-type golf club heads of FIG. 3 represents the area within the face support ledge inner perimeter (326) in a plane parallel to the face, which when viewed in light of FIGS. 11 and 12 is the unsupported face portion (230). Thus, another example of a two club set wherein the first unsupported face area is at least 70% of the first total face area, and the second unsupported face area is between approximate 20% and approximately 50% of the second total face area, is the 3-iron of FIG. 3(a) for the first iron-type golf club head and the pitching wedge of FIG. 3(h)for the second iron-type golf club head. Varying the unsupported face area through a set allows for higher CT's in the low lofted irons to achieve the desired gapping between clubs, while accommodating lower CT's in the higher lofted clubs, which are easier for the average golfer to hit in the middle of the face.

In a further "set" embodiment the second opening/closing moment of inertia is within 20% of the first opening/closing moment of inertia, and the second distance Ycg is within 10% of the first distance Ycg, thereby providing a consistent feel throughout the set and providing a lower piercing trajectory by ensuring that the Ycg distance does not drop too low in the higher lofted club heads. Recall the opening/ closing moment of inertial is MOIy. Table 1 illustrates the properties of multiple iron-type golf club heads (100) wherein the 3-iron through the 6-iron all have lofts of 30 degrees or less, while the 7-iron through pitching wedge have lofts of 31 degrees or more. Thus, in the above example in which the 3-iron of FIG. 3(a) is the first iron-type golf club head having the first unsupported face area of at least 70% of the first total face area, and the pitching wedge of FIG. 3(h) is the second iron type-golf club head having the second unsupported face area between approximate 20% and approximately 50% of the second total face area, Table 1 illustrates that MOIy of the pitching wedge is within 20% of the MOIy of the 3-iron, and the Ycg distance of the pitching wedge is within 10% of the Ycg distance of the 3-iron. Another "set" embodiment narrows the range of unsupported face areas such that the first unsupported face area is at least 80% of the first total face area, and the second unsupported face area is less than 40% of the second total face area.

TABLE	₹ 1	

Iron #	3	4	5	6	7	8	9	PW
Loft Angle Moment of Inertia (g*cm^2)	21	24	27	30	34	38	42	46
MOIx MOIy Center of Gravity (CG) (inches)	530 2215	554 2252	577 2288	597 2317	639 2362	681 2427	726 2473	760 2558
Xcg Ycg Zcg	1.146 0.801 0.299	1.146 0.799 0.310	1.151 0.792 0.332	1.150 0.781 0.352	1.164 0.784 0.386	1.162 0.792 0.430	1.172 0.776 0.461	1.182 0.761 0.492

Even further embodiments specify how the unsupported face areas are achieved. With reference now to FIGS. 11 and 12, a vertical line is illustrated at the face center, with a second vertical line illustrated 1.0 inches toward the toe and a third vertical line illustrated 1.0 inches toward the heel. This particular embodiment focuses on the face support ledge (320), and specifically the top line support ledge portion (350) and top line ledge width (352), between the second vertical line and the third vertical line. One with skill in the art will recognize how to determine the face center in accordance with current USGA guidelines. In this embodiment the second iron-type golf club head has a second top line ledge width, within the second and third vertical lines, that varies from a minimum second top line ledge width to 30 a maximum second top line ledge width, wherein the maximum second top line ledge width is at least twice the minimum second top line ledge width, which is true for the iron-type golf club head illustrated in FIG. 12. It should be noted that the ledge width is measures on the ledge, parallel 35 to the face, in a direction that is perpendicular to the ledge outer perimeter (328).

A similar embodiment focuses on the face support ledge (320), and specifically the sole support ledge portion (360) and sole ledge width (362), between the second vertical line 40 and the third vertical line. In this embodiment the second iron-type golf club head has a second sole ledge width, within the second and third vertical lines, that varies from a minimum second sole ledge width to a maximum second sole ledge width, wherein the maximum second sole ledge width, which is at least twice the minimum second sole ledge width, which is also true for the iron-type golf club head illustrated in FIG 12

An even further embodiment examines the location of an unsupported face portion centroid (232) on the face striking surface (250), also seen in FIGS. 11-12. Locating the centroid of a simple 2 dimensional surface area is elementary and will not be described herein. In this particular embodiment the unsupported face portion centroid (232) of the second unsupported face area is at an elevation above the 55 horizontal ground plane that is less than the second distance Ycg. Looking again at the above example wherein the pitching wedge is the second iron-type golf club head (100), Table 1 provides an example where the Ycg distance is 0.761 inches. Therefore in this example the elevation above the ground plane of the unsupported face portion centroid (232) of the pitching wedge illustrated in FIG. 12 is less than Ycg distance of 0.761 inches.

In yet a further embodiment the unsupported face portion centroid (232) of the first unsupported face area is at an 65 elevation above the horizontal ground plane that is greater than the first distance Ycg. Looking again at the above

example wherein the 3-iron is the first iron-type golf club head (100), Table 1 provides an example where the Ycg distance is 0.801 inches. Therefore in this example the elevation above the ground plane of the unsupported face portion centroid (232) of the 3-iron, assume for the moment that it is the club head illustrated in FIG. 11, is greater than Ycg distance of 0.801 inches.

Yet another "set" embodiment incorporates a third irontype golf club head. In this embodiment the third iron-type golf club head has a third loft of 27-40 degrees and contains all the elements of the first and the second iron-type golf club heads. In other words, the third iron-type golf club head has a third heel portion, a third toe portion, a third top line portion, a third sole portion, a third leading edge, and a third trailing edge. The third iron-type golf club head includes a third body formed of a third body material and having a third hosel, and has a third face opening, and a third face support ledge. As with the other club heads, the third face support ledge has a third support ledge width separating a third support ledge inner perimeter from a third support ledge outer perimeter, and a third support ledge setback. Similarly, the third hosel has a third bore and a third bore center that defines a third shaft axis which intersects with the horizontal ground plane to define a third origin point. Likewise, a third face is formed of a third face material that is different from the third body material and configured to be received by the third body face opening having a third face perimeter, a third face thickness, a third face striking surface, and a third face rear surface. Further, a portion of the third face rear surface contacts the third face support ledge thereby defining a third supported face portion having a third supported face area; and a portion of the third face rear surface does not contact the third face support ledge thereby defining a third unsupported face portion having a third unsupported face area. The sum of the third supported face area and the third unsupported face area is a third total face area, and the third unsupported face area is less than the first unsupported face area, and the third unsupported face area is greater than the second unsupported face area. Further, the third iron-type golf club head has a third center of gravity located (a) vertically toward the third top line portion of the third iron-type golf club head from the third origin point a third distance Ycg, wherein the third distance Ycg is within 5% of the first distance Ycg; (b) horizontally from the third origin point toward the third toe portion of the third iron-type golf club head a third distance Xcg; and (c) a third distance Zcg from the third origin toward the third trailing edge in a direction generally orthogonal to the vertical direction used to measure the third Ycg distance and generally orthogonal to the horizontal direction used to measure the third Xcg distance. Additionally, the third iron-type golf club head has

a third opening/closing moment of inertia about a third vertical axis through the second center of gravity, wherein the third opening/closing moment of inertia is within 15% of the first opening/closing moment of inertia. In one particular 3 club "set" embodiment the first loft is 27 degrees or less, 5 and the second loft is at least 40 degrees.

A further embodiment of the 3 club "set" embodiment just described has a first unsupported face area is at least 80% of the first total face area, a second unsupported face area is less than 40% of the second total face area, and a third unsupported face area is between approximate 20% and approximately 50% of the third total face area. In yet another embodiment the unsupported face portion centroid of the second unsupported face area is at an elevation above the horizontal ground plane that is less than the second distance 15 Ycg, and an unsupported face portion centroid of the first unsupported face area is at an elevation above the horizontal ground plane that is greater than the first distance Ycg.

Alternative "set" embodiments introduce the sole channel (300) previous disclosed into the first iron-type golf club 20 head and the second iron-type golf club head. Specifically, the first body (300) includes a first body sole portion (108) having a first sole channel (380) extending from the exterior of the first body sole portion (108) toward the first face (200), wherein the first sole channel (380) has a first channel 25 leading edge (382), a first channel trailing edge (384), a first channel width (386), a first channel length (388), a first channel depth (390), a first channel leading edge setback (392), and a first channel axis (394) establishing a first channel angle (396) from the vertical. Likewise, the second 30 body includes a second body sole portion having a second sole channel extending from the exterior of the second body sole portion toward the second face, wherein the second sole channel has a second channel leading edge, a second channel trailing edge, a second channel width, a second channel 35 length, a second channel depth, a second channel leading edge setback, and a second channel axis establishing a second channel angle from the vertical. Another sole channel "set" embodiment is characterized by a portion of the first sole channel (380) that has the first channel axis (394) 40 intersecting the first face (200) and the first channel angle (396) that is at least 20% of the first loft. A further embodiment specifies that a portion of the first sole channel (380) has the first channel axis (394) intersecting the first unsupported face portion (230) and the first channel angle (396) is 45 at least 20% of the first loft.

A further sole channel "set" embodiment has a portion of the first sole channel (380) that extends through the first body sole portion (108) creating a first passageway (398) from the exterior of the first body sole portion (108) to a first 50 termination opening (399) behind the first unsupported face portion (230). Taking this embodiment a step further, another embodiment has at least 50% of the first channel length (388) that extends through the first body sole portion (108) creating a first passageway (398) from the exterior of 55 the first body sole portion (108) to a first termination opening (399) behind the first unsupported face portion (230). Further embodiments incorporate the same design characteristics into the second iron-type golf club head. For example, a first such embodiment has a portion of the second 60 sole channel with a second channel axis intersecting the second face and a second channel angle that is at least 20% of the second loft. A second such embodiment has a portion of the second sole channel with a second channel axis intersecting the second unsupported face portion and wherein the second channel angle is at least 20% of the second loft. A third such embodiment incorporates a portion

of the second sole channel extending through the second body sole portion and creating a second passageway from the exterior of the second body sole portion to a second termination opening behind the second unsupported face portion. A fourth such embodiment has at least 50% of the second channel length extending through the second body sole portion to create a second passageway from the exterior of the second body sole portion to a second termination opening behind the second unsupported face portion. Similar embodiments are present for the third iron-type golf club head.

12

Further embodiments incorporate a sole channel in the first and second iron-type golf club heads, and the first, second, and third iron-type golf club heads. For example, in one such example a portion of the first sole channel (380) has the first channel axis (394) intersecting the first face (200) and the first channel angle (396) is at least 20% of the first loft, and a portion of the second sole channel has the second channel axis intersecting the second face and the second channel angle is at least 20% of the second loft. Yet another embodiment has a portion of the first sole channel (380) with a first channel axis (394) intersecting the first face (200) and the first channel angle (396) is at least 50% of the first loft; and a portion of the second sole channel with a second channel axis intersecting the second face and the second channel angle is at least 50% of the second loft.

The iron-type golf club head (100) may be of solid (i.e., "blades" and "musclebacks"), hollow, cavity back, or other construction. In certain embodiments the iron-type golf club head (100) include a face (200) attached to the body (300). The face (200) may be formed of tool steel alloys such as JIS SKD61 and AISI H13, forged maraging steel, maraging stainless steel, or precipitation-hardened (PH) stainless steel. In another embodiment, a maraging stainless steel C455 is utilized to form the face (200), while in another the face (200) is formed of a precipitation hardened stainless steel such as 17-4, 15-5, or 17-7. In further embodiments the face (200) is forged by hot press forging using any of the described materials in a progressive series of dies. After forging, the face (200) may be subjected to heat-treatment. In some embodiments, the body (300) is made from 17-4 steel, while other embodiments incorporate carbon steel (e.g., 1020, 1025, 1030, 8620, or 1040 carbon steel), chrome-molybdenum steel (e.g., 4140 Cr-Mo steel), Ni-Cr-Mo steel (e.g., 8620 Ni-Cr-Mo steel), austenitic stainless steel (e.g., 304, N50), and N60 stainless steel (e.g., 410 stainless steel). In addition to those noted above, some examples of metals and metal alloys that may be used to form the face (200) include, without limitation: titanium alloys (e.g., 3-2.5, 6-4, SP700, 15-3-3-3, 10-2-3, or other alpha/near alpha, alpha-beta, and beta/near beta titanium alloys), aluminum/aluminum alloys (e.g., 3000 series alloys, 5000 series alloys, 6000 series alloys, such as 6061-T6, and 7000 series alloys, such as 7075), magnesium alloys, copper alloys, and nickel alloys. In still other embodiments, the body (300) and/or face (200) are made from fiber-reinforced polymeric composite materials, and are not required to be homogeneous. Examples of composite materials and golf club components comprising composite materials are described in U.S. Patent Application Publication No. 2011/ 0275451, which is incorporated herein by reference in its entirety. The body (300) may include various features such as weighting elements, cartridges, and/or inserts or applied bodies as used for CG placement, vibration control or damping, or acoustic control or damping. For example, U.S. Pat. No. 6,811,496, incorporated herein by reference in its

entirety, discloses the attachment of mass altering pins or cartridge weighting elements.

In some embodiments the sole channel (380) may left unfilled, however further embodiments include a filler material added into the sole channel (380). One or more fillers 5 may be added to achieve desired performance objectives, including desired changes to the sound and feel of the club head that may be obtained by damping vibrations that occur when the club head strikes a golf ball. Examples of materials that may be suitable for use as a filler to be placed into a sole channel (380), without limitation: viscoelastic elastomers; vinyl copolymers with or without inorganic fillers; polyvinyl acetate with or without mineral fillers such as barium sulfate; acrylics; polyesters; polyurethanes; polyethers; polyamides; polybutadienes; polystyrenes; polyisoprenes; 15 polyethylenes; polyolefins; styrene/isoprene block copolymers; hydrogenated styrenic thermoplastic elastomers; metallized polyesters; metallized acrylics; epoxies; epoxy and graphite composites; natural and synthetic rubbers; piezoelectric ceramics; thermoset and thermoplastic rubbers; 20 foamed polymers; ionomers; low-density fiber glass; bitumen; silicone; and mixtures thereof. The metallized polyesters and acrylics can comprise aluminum as the metal. Commercially available materials include resilient polymeric materials such as Scotchweld<sup>TM</sup> (e.g., DP-1 05<sup>TM</sup>) and 25 Scotchdamp<sup>TM</sup> from 3M, Sorbothane<sup>TM</sup> from Sorbothane, Inc., DYADTM and GPTM from Soundcoat Company Inc., Dynamat™ from Dynamat Control of North America, Inc., NoViFlex<sup>TM</sup> Sylomer<sup>TM</sup> from Pole Star Maritime Group, LLC, Isoplast<sup>TM</sup> from The Dow Chemical Company, Lege- 30 tolex<sup>TM</sup> from Piqua Technologies, Inc., and Hybrar<sup>TM</sup> from the Kuraray Co., Ltd.

In some embodiments, a solid filler material may be press-fit or adhesively bonded into the sole channel (380). In other embodiments, a filler material may poured, injected, or 35 otherwise inserted into the sole channel (380) and allowed to cure in place, forming a sufficiently hardened or resilient outer surface. In still other embodiments, a filler material may be placed into the sole channel (380) and sealed in place with a resilient cap or other structure formed of a metal, 40 metal alloy, metallic, composite, hard plastic, resilient elastomeric, or other suitable material. In some embodiments, the portion of the filler or cap that is exposed within the sole channel (380) has a generally convex shape and is disposed within the channel such that the lowermost portion of the 45 filler or cap is displaced by a gap below the lowermost surface of the immediately adjacent portions of the body (300). The gap is preferably sufficiently large to prevent excessive wear and tear on the filler or cap that is exposed within the sole channel (380) due to striking the ground or 50 other objects.

Those skilled in the art know that the characteristic time, often referred to as the CT, value of a golf club head is limited by the equipment rules of the United States Golf Association (USGA). As used herein, the terms "coefficient 55 of restitution," "COR," "relative coefficient of restitution," "relative COR," "characteristic time," and "CT" are defined according to the following. The coefficient of restitution (COR) of an iron clubhead is measured according to procedures described by the USGA Rules of Golf as specified 60 in the "Interim Procedure for Measuring the Coefficient of Restitution of an Iron Clubhead Relative to a Baseline Plate," Revision 1.2, Nov. 30, 2005 (hereinafter "the USGA COR Procedure"). Specifically, a COR value for a baseline calibration plate is first determined, then a COR value for an 65 iron clubhead is determined using golf balls from the same dozen(s) used in the baseline plate calibration. The measured

14

calibration plate COR value is then subtracted from the measured iron clubhead COR to obtain the "relative COR" of the iron clubhead. To illustrate by way of an example: following the USGA COR Procedure, a given set of golf balls may produce a measured COR value for a baseline calibration plate of 0.845. Using the same set of golf balls, an iron clubhead may produce a measured COR value of 0.825. In this example, the relative COR for the iron clubhead is 0.825–0.845=–0.020. This iron clubhead has a COR that is 0.020 lower than the COR of the baseline calibration plate, or a relative COR of –0.020.

The characteristic time (CT) is the contact time between a metal mass attached to a pendulum that strikes the face center of the golf club head at a low speed under conditions prescribed by the USGA club conformance standards. As used herein, the term "volume" when used to refer to a golf clubhead refers to a clubhead volume measured according to the procedure described in Section 5.0 of the "Procedure For Measuring the Clubhead Size of Wood Clubs," Revision 1.0.0, published Nov. 21, 2003 by the United States Golf Association (the USGA) and R&A Rules Limited. The foregoing procedure includes submerging a clubhead in a large volume container of water. In the case of a volume measurement of a hollow iron type clubhead, any holes or openings in the walls of the clubhead are to be covered or otherwise sealed prior to lowering the clubhead into the water.

All the ratios used in defining embodiments of the present invention involve the discovery of unique relationships among key club head engineering variables that are inconsistent with merely striving to obtain as high of a CT as possible using conventional golf club head design wisdom. Numerous alterations, modifications, and variations of the preferred embodiments disclosed herein will be apparent to those skilled in the art and they are all anticipated and contemplated to be within the spirit and scope of the instant invention. Further, although specific embodiments have been described in detail, those with skill in the art will understand that the preceding embodiments and variations can be modified to incorporate various types of substitute and or additional or alternative materials, relative arrangement of elements, and dimensional configurations. Accordingly, even though only few variations of the present invention are described herein, it is to be understood that the practice of such additional modifications and variations and the equivalents thereof, are within the spirit and scope of the invention as defined in the following claims.

We claim:

- 1. An iron-type golf club head, comprising:
- a heel portion, a toe portion, a top line portion, a sole portion, a leading edge, a trailing edge, a face oriented at a loft and having a face thickness, a face striking surface, a face center, a face rear surface, a rear wall extending from the top line portion to the sole portion and spaced apart from the face rear surface, and a hosel having a bore and a bore center that defines a shaft axis which intersects with a horizontal ground plane to define an origin point, and defines a shaft axis plane, wherein:
- i) a portion of the face rear surface and the rear wall define
  a closed void within the club head so that majority of
  the face is not supported by the heel portion, toe
  portion, top line portion, and sole portion, wherein the
  closed void extends to the top line portion;
- ii) a passageway is accessible from an exterior of the club head at a passageway opening and in communication with the closed void at a termination opening, and

- defining a passageway axis that intersects the shaft axis plane and intersects the face at an axis-to-face intersection point located at an elevation above the horizontal ground plane of less than the Ycg distance;
- iii) the iron-type golf club head has a center of gravity 5 located:
  - (a) vertically toward the top line portion from the origin point a distance Ycg;
  - (b) horizontally from the origin point toward the toe portion a distance Xcg;
  - (c) horizontally from the origin point a distance Zcg toward the trailing edge in a direction orthogonal to the vertical direction used to measure the Ycg distance and orthogonal to the horizontal direction used to measure the Xcg distance, wherein the Zcg distance is 0.299"-0.492";
- iv) in a horizontal section parallel to the horizontal ground plane and passing through the center of gravity, the closed void is located between the center of gravity and 20 the face, with no portion of the closed void within the horizontal section extending behind the center of gravity, and a portion of the closed void is located at an elevation above the horizontal ground plane that is greater than the elevation of the face center; and 25
- v) the passageway opening is located at an elevation above the horizontal ground plane that is less than the Ycg distance.
- 2. The iron-type golf club head of claim 1, wherein the termination opening is located at an elevation above the <sup>30</sup> horizontal ground plane that is less than the Ycg distance.
- 3. The iron-type golf club head of claim 1, wherein the face includes a face insert formed of a face material and attached to a body portion formed of a body material and including the hosel and at least a portion of the heel portion, the toe portion, and the sole portion, wherein the body material is different from the face material, and the face material has a yield strength of at least 1400 MPa and greater than the body material.
- **4**. The iron-type golf club head of claim **3**, wherein the <sup>40</sup> body material is carbon steel alloy.
- 5. The iron-type golf club head of claim 4, wherein the face material is a precipitation-hardened stainless steel alloy.

16

- **6**. The iron-type golf club head of claim **5**, wherein the face material is a maraging stainless steel, and the face has a face thickness of less than 2.0 mm.
- 7. The iron-type golf club head of claim 1, wherein the face has a face thickness of less than 2.0 mm.
- **8**. The iron-type golf club head of claim **1**, wherein the passageway has a passageway width and a portion of the passageway width is greater than the face thickness.
- 9. The iron-type golf club head of claim 8, wherein the passageway axis has a passageway angle from vertical that is 20-125% of the loft.
- 10. The iron-type golf club head of claim 1, wherein the iron-type golf club head has an opening/closing moment of inertia about a vertical axis through the center of gravity, and a lofting/delofting moment of inertia about a horizontal axis through the center of gravity that is 530-760 g\*cm^2.
- 11. The iron-type golf club head of claim 1, wherein the Zcg distance is 0.310"-0.430".
- 12. The iron-type golf club head of claim 1, wherein the golf club head further includes at least one body weight element secured to the golf club head.
- 13. The iron-type golf club head of claim 1, wherein the face includes a face insert formed of a face material and attached to a body portion formed of a body material and including the hosel and at least a portion of the heel portion, the toe portion, and the sole portion, wherein the body material is different from the face material.
- 14. The iron-type golf club head of claim 13, wherein the golf club head further includes at least one body weight element secured to the golf club head.
- 15. The iron-type golf club head of claim 14, wherein the body material is carbon steel alloy.
- 16. The iron-type golf club head of claim 15, wherein the face material is stainless steel alloy.
- 17. The iron-type golf club head of claim 15, wherein the termination opening is located at an elevation above the horizontal ground plane that is less than the Ycg distance.
- 18. The iron-type golf club head of claim 17, wherein the Zcg distance is 0.310"-0.430".
- 19. The iron-type golf club head of claim 18, wherein the iron-type golf club head has a lofting/delofting moment of inertia about a horizontal axis through the center of gravity that is 530-760 g\*cm^2.

\* \* \* \* \*