



US00D656294S

(12) **United States Design Patent**  
**Anasis et al.**

(10) **Patent No.:** **US D656,294 S**

(45) **Date of Patent:** **\*\* Mar. 20, 2012**

(54) **AERIAL WORK CAGE**

(75) Inventors: **George M. Anasis**, New Albany, OH (US); **Todd King**, Dublin, OH (US); **Jason Patch**, Columbus, OH (US)

(73) Assignee: **Sky Climber, LLC**, Delaware, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/397,190**

(22) Filed: **Jul. 13, 2011**

(51) **LOC (9) Cl.** ..... **12-05**

(52) **U.S. Cl.** ..... **D34/37**

(58) **Field of Classification Search** ..... D34/28,  
D34/33, 35, 37; 254/325, 334, 326, 327,  
254/338; 212/223, 255, 253; 182/2.11, 2.1,  
182/141, 448, 127, 119

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D189,182	S	*	11/1960	Holan et al.	.....	D34/37
3,516,514	A	*	6/1970	Dold et al.	.....	182/46
4,754,840	A	*	7/1988	MacDonald et al.	.....	182/2.3
5,722,505	A	*	3/1998	Grabner et al.	.....	182/148
5,727,645	A	*	3/1998	Woodling	.....	182/2.1
5,944,138	A	*	8/1999	Vollmer et al.	.....	182/2.1
6,024,191	A	*	2/2000	Backer et al.	.....	182/69.6
6,250,485	B1	*	6/2001	Olson	.....	212/260

6,823,964	B2	*	11/2004	Goode	.....	182/3
8,016,074	B2	*	9/2011	Black et al.	.....	182/113
2008/0087497	A1	*	4/2008	Boswell et al.	.....	182/142

**OTHER PUBLICATIONS**

Spider, "Temporary Access Solutions—Drum Hoists/Work Cages," Spider Solutions Catalog—3rd Edition, Jul. 10, 2008, pp. 46-79.  
US Trademark registration No. 1,385,728, Registered Mar. 11, 1986, Spider Staging, Inc, Seattle, Washington.  
US Trademark registration No. 1,398,243, Registered Jun. 24, 1996, Spider Staging, Inc, Seattle, Washington.

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — David J. Dawsey; Michael J. Gallagher; Gallagher & Dawsey Co., LPA

(57) **CLAIM**

We claim the ornamental design for an aerial work cage, as shown and described.

**DESCRIPTION**

FIG. 1 is a front isometric view of an aerial work cage showing our new design;

FIG. 2 is a rear isometric view thereof;

FIG. 3 is a right elevation view thereof;

FIG. 4 is a left elevation view thereof;


FIG. 5 is a front elevation view thereof;


FIG. 6 is a rear elevation view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

**1 Claim, 5 Drawing Sheets**





*Fig. 1*







Fig. 2




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*




Fig. 7




Fig. 8